

# THEORETICAL AND APPLIED GENETICS

International Journal  
of Plant Breeding Research

Volume 96 · 1998

Managing Editor

---

G. Wenzel, Freising

Editorial Board

---

L. Alföldi, Szeged  
H. C. Becker, Göttingen  
J. S. Beckmann, Paris  
B. S. Gill, Manhattan, KS  
Yu. Gleba, Princeton, NJ  
K. Glimelius, Uppsala  
R. Hagemann, Halle/S.  
G. E. Hart, College Station, TX  
A. L. Kahler, Brookings, SD  
P. Langridge, Glen Osmond, SA  
H. F. Linskens, Heidelberg  
F. Mechelke, Stuttgart

G. Melchers, Tübingen  
R. J. Nelsen, Lima  
K. Oono, Sapporo  
P. L. Pfahler, Gainesville, FL  
I. Potrykus, Zürich  
D. R. Pring, Gainesville, FL  
M. A. Saghai Maroof,  
Blacksburg, VA  
F. Salamini, Köln-Vogelsang  
J. W. Snape, Norwich  
P. M. A. Tigerstedt, Helsinki  
L. Willmitzer, Golm



Springer

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

**TAG will publish original articles in the following areas:**

- Genetic and physiological fundamentals of plant breeding
- Applications of plant biotechnology
- Theoretical considerations in combination with experimental data

## Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA:* Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be

paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, CISTI, Ottawa K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

**Electronic edition.** An electronic edition of this journal is available via the LINK Information Service <http://link.springer.de>. You may contact us per e-mail [access@link.springer.de](mailto:access@link.springer.de) or by fax +49-62 21-4 87-2 88. Would you like to automatically receive per e-mail the table of contents with direct links to the respective abstracts as soon as a new issue is available via LINK? Then take advantage of our new, free service LINK Alert. For registration and further information just go to <http://link.springer.de/alert>.

## Typesetting

Macmillan India Ltd.

## Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag  
Berlin Heidelberg 1998  
Springer-Verlag GmbH & Co. KG,  
Berlin, Germany  
Printed in Germany



**Springer**



No. 1, pp. 1 – 154 published in January 1998  
No. 2, pp. 155 – 324 published in February 1998  
No. 3–4 pp. 325 – 558 published in March 1998  
No. 5 pp. 559 – 718 published in April 1998  
No. 6–7, pp. 719 – 996 published in May 1998  
No. 8, pp. 997 – 1222 published in June 1998

Abe J → Tozuka A  
Abraham-Pierce FA → Anderson OD  
Adam-Blondin A-F → Geffroy V  
Ajmone Marsan P, Castiglioni P, Fusari F, Kuiper M, Motto M: Genetic diversity and its relationship to hybrid performance in maize as revealed by RFLP and AFLP markers 219  
Akaffou S → Barre P  
Akashi R, Hoffmann-Tsay S-S, Hoffmann F: Selection of a super-growing legume root culture that permits controlled switching between root cloning and direct embryogenesis 758  
Alagarswamy G, Chandra S: Pattern analysis of international sorghum multi-environment trials for grain-yield adaptation 399  
All JN → Rector BG  
Alston FH → King GJ  
Alvarez-Buylla ER → Quijada A  
Alvarez JI → Garcia E  
Aly R → Surov T  
Alzubi H → El Maâtaoui M  
Anderson OD, Abraham-Pierce FA, Tam A: Conservation in wheat high-molecular-weight glutenin gene promoter sequences: comparisons among loci and among alleles of the *GLU-B1-1* locus 568  
Anderson OD → Cassidy BG  
Andrés MF → Romero MD  
Angrisano A → Garriga-Calderé F  
Aragón-Alcaide L → Qu L-J  
Araújo JA → Marques CM  
Arnedo T → Garcia E  
Arumuganathan K → Chung J  
Ashfield T, Danzer JR, Held D, Clayton K, Keim P, Saghai Maroof MA, Webb DM, Innes RW: *Rpg1*, a soybean gene effective against races of bacterial blight, maps to a cluster of previously identified disease resistance genes 1013  
Ashley DA → Mian MAR  
Atkinson H → Vain P  
Austin S → Helgeson JP  
Aviv D → Surov T  
  
Badaoui S → Gentzbittel L  
Baird E → Toojinda T  
Bakker J → Rouppe van der Voort J  
Ball TM → Krasnyanski S  
Bannerot H → Geffroy V  
Bark O → King JJ

Barraut G → El Attari H  
Barre P, Akaffou S, Louarn J, Charrier A, Hamon S, Noirot M: Inheritance of caffeine and heteroside contents in an interspecific cross between a cultivated coffee species *Coffea liberica* var *dewevrei* and a wild species caffeine-free *C. pseudozanguebariae* 306  
Barre P, Layssac M, D'Hont A, Louarn J, Charrier A, Hamon S, Noirot M: Relationship between parental chromosomal contribution and nuclear DNA content in the coffee interspecific hybrid *C. pseudozanguebariae* × *C. liberica* var '*dewevrei*' 301  
Barret P, Delourme R, Renard M, Domergue F, Lessire R, Delseny M, Roscoe TJ: A rapeseed *FAE1* gene is linked to the E1 locus associated with variation in the content of erucic acid 177  
Barret P → Fourmann M  
Barret P, Guérif J, Reynoird JP, Delourme R, Eber F, Renard M, Chèvre AM: Selection of stable *Brassica napus*-*Brassica juncea* recombinant lines resistant to blackleg (*Leptosphaeria maculans*). 2. A 'to and fro' strategy to localise and characterise interspecific introgressions on the *B. napus* genome 1097  
Bawa KS → Dayanandan S  
Beales J → Devos KM  
Beavis M → Vain P  
Ben-Meir H → Scovel G  
Benavente E, Orellana J, Fernández-Calvín B: Comparative analysis of the meiotic effects of wheat *ph1b* and *ph2b* mutations in wheat×rye hybrids 1200  
Bendahmane A → Paltridge NG  
Benito C → Gallego FJ  
Bentolila S, Zethof J, Gerats T, Hanson MR: Locating the petunia *Rf* gene on a 650-kb DNA fragment 980  
Bernard M → Cadalen T  
Bernard S → Cadalen T  
Bettini P, Chiarugi P, Buiatti M: An in vitro molecular study of the *Nicotiana tabacum* L. genome in the presence or absence of the herbicide atrazine 242  
Blauth SL, Churchill GA, Mutschler MA: Identification of quantitative trait loci associated with acylsugar accumulation using intraspecific populations of the wild tomato, *Lycopersicon pennellii* 458

Boerma HR → Mian MAR  
Boerma HR → Rector BG  
Boeuf C → Cadalen T  
Boller B → Stadelmann FJ  
Bongarten BC → Kuang H  
Bonnet D → Gherardi M  
Booth A → Toojinda T  
Börner A → Korzun V  
Borries C → Teulat B  
Botha A-M → Myburg AA  
Bothmer RV → Sun G-L  
Bowes CE, Wolyn DJ: Phylogenetic relationships among fertile and petaloid male-sterile accessions of carrot, *Daucus carota* L. 928  
Bradeen JM → King JJ  
Branlard G → Metakovsky EV  
Bregitzer P, Halbert SE, Lemaux PG: Somaclonal variation in the progeny of transgenic barley 421  
Brennan RM → Lanham PG  
Broers L → Toojinda T  
Broothaerts W → Verdoodt L  
Brown LM → King GJ  
Brown SK → Conner PJ  
Brunel D → Fourmann M  
Bryan GJ → Zhu J  
Buiatti M → Bettini P  
Buíteveld J, Suo Y, Lookeren Campagne van MM, Creemers-Molenaar J: Production and characterization of somatic hybrid plants between leek (*Allium ampeloprasum* L.) and onion (*Allium cepa* L.) 765  
Busch W → Nasuda S  
Butler III ET → Jan CC  
Butterlin G → Laporte V  
Büttner C → Hartung F  
  
Caceres ME, De Pace C, Scarascia Mugnozza GT, Kotsonis P, Ceccarelli M, Cionini PG: Genome size variations within *Dasypyrum villosum*: correlations with chromosomal traits, environmental factors and plant phenotypic characteristics and behaviour in reproduction 559  
Cadalen T, Sourdille P, Charmet G, Tixier MH, Gay G, Boeuf C, Bernard S, Leroy P, Bernard M: Molecular markers linked to genes affecting plant height in wheat using a doubled-haploid population 933  
Carson SD → Kuang H  
Carter TE Jr → Mian MAR



- Casal C → Subudhi PK  
 Casanova C → De Bustos A  
 Casanova C → Monte JV  
 Cassidy BG, Dvorak J, Anderson OD: The wheat low-molecular-weight glutenin genes: characterization of six new genes and progress in understanding gene family structure 743  
 Castiglioni P → Ajmone Marsan P  
 Cattán-Toupance I, Michalakakis Y, Neema C: Genetic structure of wild bean populations in their South-Andean centre of origin 844  
 Cawood M → Myburg AA  
 Ceballos H, Pandey S, Narro L, Perez-Velázquez JC: Additive, dominant, and epistatic effects for maize grain yield in acid and non-acid soils 662  
 Ceccarelli M → Caceres ME  
 Chalmers KJ → Paull JG  
 Chandler PM → Grosselindemann E  
 Chandler PM → Lång V  
 Chandra S → Alagaraswamy G  
 Charcosset A → Dubreuil P  
 Charmet G → Cadalen T  
 Charmet G → Gagne G  
 Charrier A → Barre P  
 Charrier A → Teulat B  
 Chen Q, Friebe B, Conner RL, Laroche A, Thomas JB, Gill BS: Molecular cytogenetic characterization of *Thinopyrum intermedium*-derived wheat germplasm specifying resistance to wheat streak mosaic virus 1  
 Chèvre AM → Barret P  
 Chevreau E → King GJ  
 Chiarugi P → Bettini P  
 Christou P → Vain P  
 Chung J, Lee J-H, Arumuganathan K, Graef GL, Specht JE: Relationships between nuclear DNA content and seed and leaf size in soybean 1064  
 Churchill GA → Blauth SL  
 Cionini PG → Caceres ME  
 Cipriani G, Testolin R, Gardner R: Restriction-site variation of PCR-amplified chloroplast DNA regions and its implication for the evolution and taxonomy of *Actinidia* 389  
 Clarke MC → Vain P  
 Clayton K → Ashfield T  
 Collins NC → Paltridge NG  
 Conner PJ, Brown SK, Weeden NF: Molecular-marker analysis of quantitative traits for growth and development in juvenile apple trees 1027  
 Conner RL → Chen Q  
 Creemers-Molenaar J → Buitenveld J  
 Creusot F → Geffroy V  
 Crossa J → Moreno-Gonzalez J  
 Cubero JI → Satovic Z  
 Cuguen J → Laporte V  
 Danesh D, Peñuela S, Mudge J, Denny RL, Nordstrom H, Martinez JP, Young ND: A bacterial artificial chromosome library for soybean and identification of clones near a major cyst nematode resistance gene 196  
 Danzer JR → Ashfield T  
 Dayanandan S, Rajora OP, Bawa KS: Isolation and characterization of microsatellites in trembling aspen (*Populus tremuloides*) 950  
 De Bustos A, Casanova C, Soler C, Jouve N: RAPD variation in wild populations of four species of the genus *Hordeum* (*Poaceae*) 101  
 de la Cruz M → Whitkus R  
 De Pace C → Caceres ME  
 De Witte K → Verdoodt L  
 Debener T → Malek B von  
 Dechamp-Guillaume G → El Attari H  
 Delgado P → Quijada A  
 Delibes A → Romero MD  
 Delourme R → Barret P  
 Delourme R → Fourmann M  
 Delourme R → Pilet ML  
 Delseny M → Barret P  
 Denny RL → Danesh D  
 Devos KM → Wang ZM  
 Devos KM, Wang ZM, Beales J, Sasaki T, Gale MD: Comparative genetic maps of foxtail millet (*Setaria italica*) and rice (*Oryza sativa*) 63  
 Devos KM → Zhang H  
 D'Hont A → Barre P  
 Domergue F → Barret P  
 Doyle G → Schneerman MC  
 Dron M → Geffroy V  
 Du C, Hart GE: *Triticum turgidum* L. 6A and 6B recombinant substitution lines: extended linkage maps and characterization of residual background alien genetic variation 645  
 Dubouzet JG, Shinoda K, Murata N: Inter-specific hybridization of *Allium giganteum* Regel: production and early verification of putative hybrids 385  
 Dubreuil P, Charcosset A: Genetic diversity within and among maize populations: a comparison between isozyme and nuclear RFLP loci 577  
 Duce A → Romero MD  
 Dunemann F → King GJ  
 Durel CE, Laurens F, Fouillet A, Lespinasse Y: Utilization of pedigree information to estimate genetic parameters from large unbalanced data sets in apple 1077  
 Dvorak J → Cassidy BG  
 Eber F → Barret P  
 El Attari H, Rebai A, Hayes PM, Barrault G, Dechamp-Guillaume G, Sarrafi A: Potential of doubled-haploid lines and localization of quantitative trait loci (QTL) for partial resistance to bacterial leaf streak (*Xanthomonas campestris* pv. *hordei*) in barley 95  
 El Maâtaoui M, Pichot C, Alzubi H, Grimaud N: Cytological basis for a tetraspory in *Cupressus sempervirens* L. megagametogenesis and its implications in genetic studies 776  
 Ernst F → Hsam SLK  
 Escalante A, Imanishi S, Hossain M, Ohmido N, Fukui K: RFLP analysis and genomic in situ hybridization (GISH) in somatic hybrids and their progeny between *Lycopersicon esculentum* and *Solanum lycopersicoides* 719  
 Evans KM → King GJ  
 Fahima T, Röder MS, Grama A, Nevo E: Microsatellite DNA polymorphism divergence in *Triticum dicoccoides* accessions highly resistant to yellow rust 187  
 Falquet J → Geffroy V  
 Fang DQ → Federici CT  
 Federici CT, Fang DQ, Scora RW, Roose ML: Phylogenetic relationships within the genus *Citrus* (*Rutaceae*) and related genera as revealed by RFLP and RAPD analysis 812  
 Fernández-Calvín B → Benavente E  
 Fernando DD, Owens JN, von Aderkas P: In vitro fertilization from co-cultured pollen tubes and female gametophytes of Douglas fir (*Pseudotsuga menziesii*) 1057  
 Ferreira JG → Marques CM  
 Figueiras AM → Gallego FJ  
 Fisher PJ, Richardson TE, Gardner RC: Characteristics of single- and multi-copy microsatellites from *Pinus radiata* 969  
 Foisset N → Pilet ML  
 Folkertsma R → Rouppe van der Voort J  
 Foote TN → Qu L-J  
 Forsberg J, Lagercrantz U, Glimelius K: Comparison of UV light, X-ray and restriction enzyme treatment as tools in production of asymmetric somatic hybrids between *Brassica napus* and *Arabidopsis thaliana* 1178  
 Fouillet A → Durel CE  
 Fourmann M, Barret P, Renard M, Pelletier G, Delourme R, Brunel D: The two genes homologous to *Arabidopsis* *FAE1* co-segregate with the two loci governing erucic acid content in *Brassica napus* 852  
 Frean ML → Rawsthorne S  
 Friebe B → Chen Q  
 Friebe B → Nasuda S  
 Friesen KR → Somers DJ  
 Fuchs E → Melchinger AE  
 Fujii K → Hayano-Saito Y  
 Fukui K → Escalante A  
 Fukui K → Iwano M  
 Fukui K, Nakayama S, Ohmido N, Yoshiki H, Yamabe M: Quantitative karyotyping of three diploid *Brassica* species by imaging methods and localization of 45S rDNA loci on the identified chromosomes 325  
 Fukushima H → Tozuka A  
 Fusari F → Ajmone Marsan P  
 Gagne G, Roeckel-Drevet P, Grezes-Besset B, Shindrova P, Ivanov P, Grand-Ravel C, Vear F, Tourvieille de Labrouhe D, Charmet G, Nicolas P: Study of the variability and evolution of *Orobanche cumana* populations infesting sunflower in different European countries 1216  
 Gale MD → Devos KM



- Gale MD → Wang ZM  
 Gale MD → Zhang H  
 Gale MD → Zhu J  
 Gallego FJ, López-Solanilla E, Figueiras AM, Benito C: Chromosomal location of PCR fragments as a source of DNA markers linked to aluminium tolerance genes in rye 426  
 Gama Lopez S → Vander Stappen J  
 Ganai MW → Korzun V  
 Ganai MW → Worland AJ  
 Garcia E, Jamilena M, Alvarez JJ, Arnedo T, Oliver JL, Lozano R: Genetic relationships among melon breeding lines revealed by RAPD markers and agro-nomic traits 878  
 Gardner R → Cipriani G  
 Gardner RC → Fisher PJ  
 Garriga-Calderé F, Huigen DJ, Angrisano A, Jacobsen E, Ramanna MS: Transmission of alien tomato chromosomes from BC<sub>1</sub> to BC<sub>2</sub> progenies derived from backcrossing potato (+) tomato fusion hybrids to potato: the selection of single additions for seven different tomato chromosomes 155  
 Gatherer D → McEwan NR  
 Gay G → Cadalen T  
 Gebhardt C → Härmäläinen SH  
 Geffroy V, Creusot F, Falquet J, Sévignac M, Adam-Blondon A-F, Bannerot H, Gepts P, Dron M: A family of LRR sequences in the vicinity of the *Co-2* locus for anthracnose resistance in *Phaseolus vulgaris* and its potential use in marker-assisted selection 494  
 Gentzbittel L, Mouzeyar S, Badaoui S, Mestries E, Vear F, Tourvieille De Labrouhe D, Nicolas P: Cloning of molecular markers for disease resistance in sunflower, *Helianthus annuus* L. 519  
 Gepts P → Geffroy V  
 Gerats T → Bentolila S  
 Gessler C → Gianfranceschi L  
 Ghéardi M, Mangin B, Goffinet B, Bonnet D, Hugué T: A method to measure genetic distance between allogamous populations of alfalfa (*Medicago sativa*) using RAPD molecular markers 406  
 Gianfranceschi L, Seglias N, Tarchini R, Komjanc M, Gessler C: Simple sequence repeats for the genetic analysis of apple 1069  
 Gill BS → Chen Q  
 Gill BS → Miller JT  
 Gill BS → Nasuda S  
 Glimelius K → Forsberg J  
 Godelle B → Lavigne C  
 Goderis IJ → Verdoodt L  
 Goffinet B → Ghéardi M  
 Goffinet B, Mangin B: Comparing methods to detect more than one QTL on a chromosome 628  
 Goldman-Guez T → Surov T  
 Gómez-Pompa A → Whitkus R  
 Goodman MM → Holland JB  
 Gopal J: Identification of superior parents and crosses in potato breeding programmes 287  
 Graef GL → Chung J  
 Grama A → Fahima T  
 Grand-Ravel C → Gagne G  
 Gressel J → Surov T  
 Grezes-Besset B → Gagne G  
 Grimaud N → El Maâtaoui M  
 Grosselindemann E, Robertson M, Wilmer JA, Chandler PM: Genetic variation in pea (*Pisum*) dehydrins: sequence elements responsible for length differences between dehydrin alleles and between dehydrin loci in *Pisum sativum* L. 1186  
 Guérif J → Barret P  
 Gumber RK → Melchinger AE  
 Günther T → Rozynek B  
 Haberlach GT → Helgeson JP  
 Halbert SE → Bregitzer P  
 Härmäläinen JH, Sorri VA, Watanabe KN, Gebhardt C, Valkonen JPT: Molecular examination of a chromosome region that controls resistance to potato Y and A potyviruses in potato 1036  
 Härmäläinen JH → Tommiska TJ  
 Hamon S → Barre P  
 Hanna WW → Morgan RN  
 Hanson MR → Bentolila S  
 Hart GE → Du C  
 Hartl L → Hsam SLK  
 Hartl L, Seefelder S: Diversity of selected hop cultivars detected by fluorescent AFLPs 112  
 Hartung F, Werner R, Mühlbach H-P, Büttner C: Highly specific PCR-diagnosis to determine *Pseudomonas solanacearum* strains of different geographical origins 797  
 Havey MJ → King JJ  
 Hayano-Saito Y, Tsuji T, Fujii K, Saito K, Iwasaki M, Saito A: Localization of the rice stripe disease resistance gene, *Stv-b<sup>1</sup>*, by graphical genotyping and linkage analyses with molecular markers 1044  
 Hayes P → Toojinda T  
 Hayes PM → El Attari H  
 He YQ → Li RH  
 Held D → Ashfield T  
 Helgeson JP, Pohlman JD, Austin S, Haberlach GT, Wielgos SM, Ronis D, Zambolim L, Tooley P, McGrath JM, James RV, Stevenson WR: Somatic hybrids between *Solanum bulbocastanum* and potato: a new source of resistance to late blight 738  
 Heneen WK → Li Z  
 Hesemann CU → Rozynek B  
 Hinata K → Iwano M  
 Hirata T → Tozuka A  
 Hoffmann F → Akashi R  
 Hoffmann-Tsay S-S → Akashi R  
 Holland JB, Uhr DV, Jeffers D, Goodman MM: Inheritance of resistance to southern corn rust in tropical-by-corn-belt maize populations 232  
 Hossain M → Escalante A  
 Hsam SLK, Huang XQ, Ernst F, Hartl L, Zeller FJ: Chromosomal location of genes for resistance to powdery mildew in common wheat (*Triticum aestivum* L. em Thell.). 5. Alleles at the *Pm1* locus 1129  
 Huang N → Subudhi PK  
 Huang XQ → Hsam SLK  
 Hugué T → Ghéardi M  
 Huigen D-J → Li X  
 Huigen DJ → Garriga-Calderé F  
 Hutten R → Rouppe van der Voort J  
 Hylton CM → Rawsthorne S  
 Hymowitz T → Singh RJ  
 Imanishi S → Escalante A  
 Innes RW → Ashfield T  
 Isogai A → Iwano M  
 Itzhaki H → Scovel G  
 Ivanov P → Gagne G  
 Iwano M, Sakamoto K, Suzuki G, Watanabe M, Takayama S, Fukui K, Hinata K, Isogai A: Visualization of a self-incompatibility gene in *Brassica campestris* L. by multicolor FISH 751  
 Iwasaki M → Hayano-Saito Y  
 Jackson MT → Zhu J  
 Jackson SA → Miller JT  
 Jacobsen E → Garriga-Calderé F  
 Jacobsen E → Li X  
 Jacobsen E → Rouppe van der Voort J  
 Jaiswal P, Sane AP, Ranade SA, Nath P, Sane PV: Mitochondrial and total DNA RAPD patterns can distinguish restorers of CMS lines in sorghum 791  
 James RV → Helgeson JP  
 Jamilena M → Garcia E  
 Jan CC, Vick BA, Miller JF, Kahler AL, Butler III ET: Construction of an RFLP linkage map for cultivated sunflower 15  
 Janse J → King GJ  
 Jayasankar S, Litz RE: Characterization of embryogenic mango cultures selected for resistance to *Colletotrichum gloeosporioides* culture filtrate and phytotoxin 823  
 Jeffers D → Holland JB  
 Jia J → Zhang H  
 Jiang J → Miller JT  
 Joel DM → Surov T  
 Jones DA → Rawsthorne S  
 Jouve N → De Bustos A  
 Kahler AL → Jan CC  
 Kanazawa A → Tozuka A  
 Karakousis A → Paull JG  
 Kartel N → Korzun V  
 Keim P → Ashfield T  
 Kelly JD → Young RA  
 Kerr RJ: Asymptotic rates of response from forest tree breeding strategies using best linear unbiased prediction 484  
 Keskitalo M, Lindén A, Valkonen JPT: Genetic and morphological diversity of Finnish tansy (*Tanacetum vulgare* L., Asteraceae) 1141  
 Keulemans J → Verdoodt L  
 Khairallah M → Teulat B  
 Khrustaleva LI, Kik C: Cytogenetical studies in the bridge cross *Allium cepa* × (*A. fistulosum* × *A. roylei*) 8  
 Kik C → Khrustaleva LI  
 Kim HS → Ward RW



- King GJ, Alston FH, Brown LM, Chevreau E, Evans KM, Dunemann F, Janse J, Laurens F, Lynn JR, Maliepaard C, Manganaris AG, Roche P, Schmidt H, Tartarini S, Verhaegh J, Vrielink R: Multiple field and glasshouse assessments increase the reliability of linkage mapping of the *Vf* source of scab resistance in apple 699
- King JJ, Bradeen JM, Bark O, McCallum JA, Havey MJ: A low-density genetic map of onion reveals a role for tandem duplication in the evolution of an extremely large diploid genome 52
- Kitano H → Takahashi M
- Klein EK → Lavigne C
- Klein TM → Singh RJ
- Knap HT → Wang G
- Knowlton S → Singh RJ
- Kohli A → Vain P
- Kojima T, Nagaoka T, Noda K, Ogihara Y: Genetic linkage map of ISSR and RAPD markers in Einkorn wheat in relation to that of RFLP markers 37
- Kolliker R → Stadelmann FJ
- Komjanc M → Gianfranceschi L
- Korzun V, Malyshev S, Kartel N, Westermann T, Weber WE, Börner A: A genetic linkage map of rye (*Secale cereale* L.) 203
- Korzun V → Peil A
- Korzun V, Röder MS, Ganai MW, Worland AJ, Law CN: Genetic analysis of the dwarfing gene (*Rht8*) in wheat. Part I. Molecular mapping of *Rht8* on the short arm of chromosome 2D of bread wheat (*Triticum aestivum* L.) 1104
- Korzun V → Worland AJ
- Kostow CM → Singh RJ
- Kotsonis P → Caceres ME
- Krasnyanski S, Ball TM, Sink KC: Somatic hybridization in mint: identification and characterization of *Mentha piperita* (+) *M. spicata* hybrid plants 683
- Kresovich S → Westman AL
- Kretschmer JM → Paull JG
- Kuang H, Richardson TE, Carson SD, Bongaert BC: An allele responsible for seedling death in *Pinus radiata* D. Don 640
- Kuiper M → Ajmone Marsan P
- Kuiper M → Melchinger AE
- Kuntze L → Melchinger AE
- Kynast RG → Nasuda S
- Lagercrantz U → Forsberg J
- Lång V, Robertson M, Chandler PM: Allelic variation in the dehydrin gene family of 'Himalaya' barley (*Hordeum vulgare* L.) 1193
- Langridge P → Paull JG
- Lanham PG, Brennan RM: Characterization of the genetic resources of redcurrant (*Ribes rubrum*: subg. *Ribesia*) using anchored microsatellite markers 917
- Laporte V, Merdinoglu D, Saumitou-Laprade P, Butterlin G, Vernet P, Cuguen J: Identification and mapping of RAPD and RFLP markers linked to a fertility restorer gene for a new source of cytoplasmic male sterility in *Beta vulgaris* ssp. *maritima* 989
- Laroche A → Chen Q
- Laurens F → Durel CE
- Laurens F → King GJ
- Lavigne C, Klein EK, Vallée P, Pierre J, Godelle B, Renard M: A pollen-dispersal experiment with transgenic oilseed rape. Estimation of the average pollen dispersal of an individual plant within a field 886
- Law CN → Korzun V
- Law CN → Worland AJ
- Layssac M → Barre P
- Leckband G, Lörz H: Transformation and expression of a stilbene synthase gene of *Vitis vinifera* L. in barley and wheat for increased fungal resistance 1004
- Lee J-H → Chung J
- Lee WS → Schneerman MC
- Leech M → Vain P
- Leipert RB → Melchinger AE
- Lemaux PG → Bregitzer P
- Leroy P → Cadalen T
- Leroy P → Teulat B
- Lespinasse Y → Durel CE
- Lessire R → Barret P
- Li RH, Xue CG, Yuan LP, He YQ, Sun CQ, Yu SB, Li XH, Wang XK: Differentiation and classification of parental lines and favorable genic interactions affecting  $F_1$  fertility in distant crosses of rice (*Oryza sativa* L.) 526
- Li X, van Eck HJ, Rouppe van der Voort JNAM, Huigen D-J, Stam P, Jacobsen E: Autotetraploids and genetic mapping using common AFLP markers: the *R2* allele conferring resistance to *Phytophthora infestans* mapped on potato chromosome 4 1121
- Li XH → Li RH
- Li Z, Wu JG, Liu Y, Liu HL, Heneen WK: Production and cytogenetics of the intergeneric hybrids *Brassica juncea* × *Oryzophragmus violaceus* and *B. carinata* × *O. violaceus* 251
- Lin SY, Sasaki T, Yano M: Mapping quantitative trait loci controlling seed dormancy and heading date in rice, *Oryza sativa* L., using backcross inbred lines 997
- Lindeman W → Rouppe van der Voort J
- Lindén A → Keskitalo M
- Linder CR, Taha I, Seiler GJ, Snow AA, Rieseberg LH: Long-term introgression of crop genes into wild sunflower populations 339
- Lindhout P → Qi X
- Liston A → Quijada A
- Litz RE → Jayasankar S
- Liu BH → Marques CM
- Liu CJ → Wang ZM
- Liu H → Vain P
- Liu HL → Li Z
- Liu Y → Li Z
- Lookeren Campagne van MM → Buiteveld J
- Lopez-Braña I → Romero MD
- López-Solanilla E → Gallego FJ
- Lörz H → Leckband G
- Louarn J → Barre P
- Lozano R → Garcia E
- Lübberstedt T → Melchinger AE
- Lynn JR → King GJ
- Mackill DJ → Redoña ED
- Madsen S → Ortiz R
- Mahalingam R → Wang G
- Malek B von, Debener T: Genetic analysis of resistance to blackspot (*Diplocarpon rosae*) in tetraploid roses 228
- Maliepaard C → King GJ
- Malyshev S → Korzun V
- Manganaris AG → King GJ
- Mangin B → Ghérardi M
- Mangin B → Goffinet B
- Manning S → Paull JG
- Marques CM, Araújo JA, Ferreira JG, Whetten R, O'Malley DM, Liu BH, Sederoff R: AFLP genetic maps of *Eucalyptus globulus* and *E. tereticornis* 727
- Martín-Sánchez JA → Romero MD
- Martinez JP → Danesh D
- Mason KM → Williams WM
- Mauvais CJ → Singh RJ
- McCallum JA → King JJ
- McEwan NR, Gatherer D: The mutational-response index and codon bias in genes from a *Frankia nif* operon 716
- McGrath JM → Helgeson JP
- McNicol JW → Perera L
- Melchinger AE, Gumber RK, Leipert RB, Vuylsteke M, Kuiper M: Prediction of testcross means and variances among  $F_3$  progenies of  $F_1$  crosses from testcross means and genetic distances of their parents in maize 503
- Melchinger AE, Kuntze L, Gumber RK, Lübberstedt T, Fuchs E: Genetic basis of resistance to sugarcane mosaic virus in European maize germplasm 1151
- Melotto M → Young RA
- Merdinoglu D → Laporte V
- Mestres E → Gentzbittel L
- Metakovsky EV, Branlard G: Genetic diversity of French common wheat germplasm based on gliadin alleles 209
- Mian MAR, Wells R, Carter TE Jr, Ashley DA, Boerma HR: RFLP tagging of QTLs conditioning specific leaf weight and leaf size in soybean 354
- Michalakakis Y → Cattán-Toupance I
- Mikami T → Senda M
- Mikami T → Tozuka A
- Miller JF → Jan CC
- Miller JT, Jackson SA, Nasuda S, Gill BS, Wing RA, Jiang J: Cloning and characterization of a centromere-specific repetitive DNA element from *Sorghum bicolor* 832
- Money TA → Qu L-J
- Monneveux P → Teulat B
- Monte JV, Casanova C, Soler C: Presence and organization of an osmotic stress response domain in wild *Triticeae* species 76
- Montes MJ → Romero MD
- Moore G → Qu L-J



- Moreno-Gonzalez J, Crossa J: Combining genotype, environment and attribute variables in regression models for predicting the cell-means of multi-environment cultivar trials 803
- Morgan CL → Rawsthorne S
- Morgan-Richards M → Wolff K
- Morgan RN, Wilson JP, Hanna WW, Ozias-Akins P: Molecular markers for rust and pyricularia leaf spot disease resistance in pearl millet 413
- Mota-Bravo L → Whitkus R
- Motoyoshi F → Ohmori T
- Motto M → Ajmone Marsan P
- Mouzeyar S → Gentzbittel L
- Mudge J → Danesh D
- Muehlbauer FJ → Ratnaparkhe MB
- Mühlbach H-P → Hartung F
- Mujica-Sanchez A → Ortiz R
- Murata M → Ohmori T
- Murata N → Dubouzet JG
- Mutschler MA → Blauth SL
- Myburg AA, Cawood M, Wingfield BD, Botha A-M: Development of RAPD and SCAR markers linked to the Russian wheat aphid resistance gene *Dn2* in wheat 1162
- Nagaoka T → Kojima T
- Nagasawa N → Takahashi M
- Nagato Y → Takahashi M
- Nakayama S → Fukui K
- Nandi S → Subudhi PK
- Narro L → Ceballos H
- Nasuda S, Friebe B, Busch W, Kynast RG, Gill BS: Structural rearrangement in chromosome 2M of *Aegilops comosa* has prevented the utilization of the Compair and related wheat-*Ae. comosa* translocations in wheat improvement 780
- Nasuda S → Miller JT
- Nath P → Jaiswal P
- Neema C → Cattani-Toupance I
- Nevo E → Fahima T
- Nicolas P → Gagne G
- Nicolas P → Gentzbittel L
- Niks RE → Qi X
- Noda K → Kojima T
- Nodari RO → Young RA
- Noïrot M → Barre P
- Nordstrom H → Danesh D
- Nösberger J → Stadelmann FJ
- Ogihara Y → Kojima T
- Ohara M → Tozuka A
- Ohmido N → Escalante A
- Ohmido N → Fukui K
- Ohmori T, Murata M, Motoyoshi F: Characterization of disease resistance gene-like sequences in near-isogenic lines of tomato 331
- Oliver JL → Garcia E
- O'Malley DM → Marques CM
- O'Malley DM → Wu RL
- O'Neill CM → Rawsthorne S
- Onodera Y → Senda M
- Orellana J → Benavente E
- Ortiz R, Madsen S, Vuylsteke D: Classification of African plantain landraces and banana cultivars using a phenotypic distance index of quantitative descriptors 904
- Ortiz R, Ruiz-Tapia EN, Mujica-Sanchez A: Sampling strategy for a core collection of Peruvian quinoa germplasm 475
- Oud OJL → Schubert I
- Ovadis M → Scovel G
- Overmars H → Rouppe van der Voort J
- Owens JN → Fernando DD
- Ozias-Akins P → Morgan RN
- Paltridge NG, Collins NC, Bendahmane A, Symons RH: Development of YLM, a codominant PCR marker closely linked to the *Yd2* gene for resistance to barley yellow dwarf disease 1170
- Pandey S → Ceballos H
- Parrott WA → Rector BG
- Paul JG, Chalmers KJ, Karakousis A, Kretschmer JM, Manning S, Langridge P: Genetic diversity in Australian wheat varieties and breeding material based on RFLP data 435
- Peil A, Korzun V, Schubert V, Schumann E, Weber WE, Röder MS: The application of wheat microsatellites to identify disomic *Triticum aestivum*-*Aegilops markgrafii* addition lines 138
- Pelletier G → Fourmann M
- Penner D → Wright R
- Peñuela S → Danesh D
- Perera L, Russell JR, Provan J, McNicol JW, Powell W: Evaluating genetic relationships between indigenous coconut (*Cocos nucifera* L.) accessions from Sri Lanka by means of AFLP profiling 545
- Pérez-Enciso M: Sequential bulked typing: a rapid approach for detecting QTLs 551
- Perez-Velázquez JC → Ceballos H
- Pich U → Schubert I
- Pichot C → El Maâtaoui M
- Pierre J → Lavigne C
- Pilet ML, Delourme R, Foisset N, Renard M: Identification of loci contributing to quantitative field resistance to blackleg disease, causal agent *Leptosphaeria maculans* (Desm.) Ces. et de Not., in Winter rapeseed (*Brassica napus* L.) 23
- Pohlman JD → Helgeson JP
- Potrykus I → Stadelmann FJ
- Powell W → Perera L
- Powell W → Toojinda T
- Provan J → Perera L
- Qi X, Niks RE, Stam P, Lindhout P: Identification of QTLs for partial resistance to leaf rust (*Puccinia hordei*) in barley 1205
- Qi X, Stam P, Lindhout P: Use of locus-specific AFLP markers to construct a high-density molecular map in barley 376
- Qu L-J, Foote TN, Roberts MA, Money TA, Aragón-Alcaide L, Snape JW, Moore G: A simple PCR-based method for scoring the *ph1b* deletion in wheat 371
- Quarrie S → Zhu J
- Quijada A, Liston A, Delgado P, Vázquez-Lobo A, Alvarez-Buylla ER: Variation in the nuclear ribosomal DNA internal transcribed spacer (ITS) region of *Pinus rzedowskii* revealed by PCR-RFLP 539
- Quiros CF → Sadowski J
- Ragot C → Teulat B
- Rajora OP → Dayanandan S
- Rakow G → Somers DJ
- Ramanna MS → Garriga-Calderé F
- Ranade SA → Jaiswal P
- Ratnaparkhe MB, Santra DK, Tullu A, Muehlbauer FJ: Inheritance of inter-simple-sequence-repeat polymorphisms and linkage with a fusarium wilt resistance gene in chickpea 348
- Rawsthorne S, Morgan CL, O'Neill CM, Hylton CM, Jones DA, Frean ML: Cellular expression pattern of the glycine decarboxylase P protein in leaves of an intergeneric hybrid between the  $C_3$ - $C_4$  intermediate species *Moricaandia nitens* and the  $C_3$  species *Brassica napus* 922
- Rebai A → El Attari H
- Rector BG, All JN, Parrott WA, Boerma HR: Identification of molecular markers linked to quantitative trait loci for soybean resistance to corn earworm 786
- Redoña ED, Mackill DJ: Quantitative trait locus analysis for rice panicle and grain characteristics 957
- Renard M → Barret P
- Renard M → Fourmann M
- Renard M → Lavigne C
- Renard M → Pilet ML
- Reynold JP → Barret P
- Richard G → Vain P
- Richardson TE → Fisher PJ
- Richardson TE → Kuang H
- Rieseberg LH → Linder CR
- Roberts MA → Qu L-J
- Robertson M → Grosselindemann E
- Robertson M → Lång V
- Roche P → King GJ
- Röder MS → Fahima T
- Röder MS → Korzun V
- Röder MS → Peil A
- Röder MS → Worland AJ
- Roeckel-Drevet P → Gagne G
- Romero MD, Montes MJ, Sin E, Lopez-Braña I, Duce A, Martín-Sánchez JA, Andrés MF, Delibes A: A cereal cyst nematode (*Heterodera avenae* Woll.) resistance gene transferred from *Aegilops triuncialis* to hexaploid wheat 1135
- Ronis D → Helgeson JP
- Roose ML → Federici CT
- Roscoe TJ → Barret P
- Rouppe van der Voort J, Lindeman W, Folkertsma R, Hutten R, Overmars H, van der Vossen E, Jacobsen E, Bakker J: A QTL for broad-spectrum resistance to cyst nematode species (*Globodera* spp.) maps to a resistance gene cluster in potato 654
- Rouppe van der Voort JNAM → Li X
- Rozynek B, Günther T, Hesemann CU: Gel electrophoretic investigations of prolam-



- ins in eu- and alloplasmatic octoploid primary triticales forms 46
- Ruiz-Tapia EN → Ortiz R
- Russell JR → Perera L
- Saamin S, Thompson MM: Radiation-induced mutations from accessory buds of sweet cherry, *Prunus avium* L. cv 'Bing' 912
- Sadowski J, Quiros CF: Organization of an *Arabidopsis thaliana* gene cluster on chromosome 4 including the *RPS2* gene, in the *Brassica nigra* genome 468
- Saghai Maroof MA → Ashfield T
- Sági L → Van Campenhout S
- Saito A → Hayano-Saito Y
- Saito K → Hayano-Saito Y
- Sakamoto K → Iwano M
- Salomon B → Sun G-L
- Sane AP → Jaiswal P
- Sane PV → Jaiswal P
- Santra DK → Ratnaparkhe MB
- Sarrafi A → El Attari H
- Sasaki T → Devos KM
- Sasaki T → Lin SY
- Sato Y: PCR amplification of CMS-specific mitochondrial nucleotide sequences to identify cytoplasmic genotypes of onion (*Allium cepa* L.) 367
- Satovic Z, Torres AM, Cubero JJ: Estimation of linkage in trisomic inheritance 513
- Saumitou-Laprade P → Laporte V
- Scarascia Mugnozza GT → Caceres ME
- Schmidt H → King GJ
- Schneerman MC, Lee WS, Doyle G, Weber DF: RFLP mapping of the centromere of chromosome 4 in maize using isochromosomes for 4S 361
- Schubert I, Oud OJL, Pich U: Unscheduled apoptosis in meristematic plant cells is triggered via terminal deletions in artificially elongated chromosome arms 1022
- Schubert V → Peil A
- Schumann E → Peil A
- Scora RW → Federici CT
- Scovel G, Ben-Meir H, Ovadis M, Itzhaki H, Vainstein A: RAPD and RFLP markers tightly linked to the locus controlling carnation (*Dianthus caryophyllus*) flower type 117
- Sederoff R → Marques CM
- Seefelder S → Hartl L
- Seglias N → Gianfranceschi L
- Seiler GJ → Linder CR
- Senda M, Onodera Y, Mikami T: Recombination events across the *atpA*-associated repeated sequences in the mitochondrial genomes of beets 964
- Sévig-nac M → Geffroy V
- Shimamoto Y → Tozuka A
- Shindrova P → Gagne G
- Shinoda K → Dubouzet JG
- Sin E → Romero MD
- Singh RJ, Klein TM, Mauvais CJ, Knowlton S, Hymowitz T, Kostow CM: Cytological characterization of transgenic soybean 319
- Sink KC → Krasnyanski S
- Snape J → Vain P
- Snape JW → Qu L-J
- Snape JW → Vain P
- Snow AA → Linder CR
- Socias i Company R: Fruit tree genetics at a turning point: the almond example 588
- Soler C → De Bustos A
- Soler C → Monte JV
- Somers DJ, Friesen KRD, Rakow G: Identification of molecular markers associated with linoleic acid desaturation in *Brassica napus* 897
- Sorri VA → Hämäläinen JH
- Sourdille P → Cadalen T
- Sourdille P → Teulat B
- Spangenberg G → Stadelmann FJ
- Specht JE → Chung J
- Stadelmann FJ, Boller B, Spangenberg G, Kolliker R, Wang ZY, Potrykus I, Nösberger J: Field performance of cell-suspension-derived *Lolium perenne* L. regenerants and their progenies 634
- Stam P → Li X
- Stam P → Qi X
- Stam P → Van Berloo R
- Stevenson WR → Helgeson JP
- Subudhi PK, Nandi S, Casal C, Virmani SS, Huang N: Classification of rice germplasm: III. High-resolution fingerprinting of cytoplasmic genetic male-sterile (CMS) lines with AFLP 941
- Sun CQ → Li RH
- Sun G-L, Salomon B, Bothmer RV: Characterization and analysis of microsatellite loci in *Elymus caninus* (Triticeae: Poaceae) 676
- Suo Y → Buiteveld J
- Surov T, Aviv D, Aly R, Joel DM, Goldman-Guez T, Gressel J: Generation of transgenic asulam-resistant potatoes to facilitate eradication of parasitic broomrapes (*Orobancha* spp.), with the *sul* gene as the selectable marker 132
- Suzuki G → Iwano M
- Symons RH → Paltridge NG
- Taha I → Linder CR
- Takahashi M, Nagasawa N, Kitano H, Nagato Y: *panicle phytomer 1* mutations affect the panicle architecture of rice 1050
- Takayama S → Iwano M
- Tam A → Anderson OD
- Tarchini R → Gianfranceschi L
- Tartarini S → King GJ
- Testolin R → Cipriani G
- Teulat B, This D, Khairallah M, Borries C, Ragot C, Sourdille P, Leroy P, Monneveux P, Charrier A: Several QTLs involved in osmotic-adjustment trait variation in barley (*Hordeum vulgare* L.) 688
- This D → Teulat B
- Thomas JB → Chen Q
- Thomas W → Toojinda T
- Thompson MM → Saamin S
- Tixier MH → Cadalen T
- Tommiska TJ, Hämäläinen JH, Watanabe KN, Valkonen JPT: Mapping of the gene *Nx<sub>phu</sub>* that controls hypersensitive resistance to potato virus X in *Solanum phureja* IvP35 840
- Toojinda T, Baird E, Booth A, Broers L, Hayes P, Powell W, Thomas W, Vivar H, Young G: Introgression of quantitative trait loci (QTLs) determining stripe rust resistance in barley: an example of marker-assisted line development 123
- Tooley P → Helgeson JP
- Torres AM → Satovic Z
- Tourvieille de Labrouhe D → Gagne G
- Tourvieille de Labrouhe D → Gentzbittel L
- Tozuka A, Fukushi H, Hirata T, Ohara M, Kanazawa A, Mikami T, Abe J, Shimamoto Y: Composite and clinal distribution of *Glycine soja* in Japan revealed by RFLP analysis of mitochondrial DNA 170
- Tsuji T → Hayano-Saito Y
- Tullu A → Ratnaparkhe MB
- Uhr DV → Holland JB
- Vain P, Worland B, Clarke MC, Richard G, Beavis M, Liu H, Kohli A, Leech M, Snape J, Christou P, Atkinson H: Expression of an engineered cysteine proteinase inhibitor (Oryzacystatin-1AD86) for nematode resistance in transgenic rice plants 266
- Vain P, Worland B, Kohli A, Snape JW, Christou P: The green fluorescent protein (GFP) as a vital screenable marker in rice transformation 164
- Vainstein A → Scovel G
- Valkonen JPT → Hämäläinen SH
- Valkonen JPT → Keskitalo M
- Valkonen JPT → Tommiska TJ
- Vallée P → Lavigne C
- Van Berloo R, Stam P: Marker-assisted selection in autogamous RIL populations: a simulation study 147
- Van Campenhout S, Sági L, Vander Stappen J, Volckaert G: Characterisation of type-I thionin loci from the A, B, D and R genomes of wheat and rye 80
- Van Campenhout S → Vander Stappen J
- van der Vossen E → Rouppe van der Voort J
- van Eck HJ → Li X
- Van Haute A → Verdoodt L
- Vander Stappen J → Van Campenhout S
- Vander Stappen J, Van Campenhout S, Gama Lopez S, Volckaert G: Sequencing of the internal transcribed spacer region ITS1 as a molecular tool detecting variation in the *Stylosanthes guianensis* species complex 869
- Vázquez-Lobo A → Quijada A
- Vear F → Gagne G
- Vear F → Gentzbittel L
- Verdoodt L, Van Haute A, Goderis JJ, De Witte K, Keulemans J, Broothaerts W: Use of the multi-allelic self-incompatibility gene in apple to assess homozygosity in shoots obtained through haploid induction 294
- Verhaegh J → King GJ



- Vernet P → Laporte V  
 Vick BA → Jan CC  
 Virmani SS → Subudhi PK  
 Vivar H → Toojinda T  
 Volckaert G → Van Campenhout S  
 Volckaert G → Vander Stappen J  
 von Aderkas P → Fernando DD  
 Vrielink R → King GJ  
 Vuylsteke D → Ortiz R  
 Vuylsteke M → Melchinger AE
- Wang G, Mahalingam R, Knap HT: (C-A) and (G-A) anchored simple sequence repeats (ASSRs) generated polymorphism in soybean, *Glycine max* (L.) Merr. 1086  
 Wang RQ → Wang ZM  
 Wang XK → Li RH  
 Wang ZM → Devos KM  
 Wang ZM, Devos KM, Liu CJ, Wang RQ, Gale MD: Construction of RFLP-based maps of foxtail millet, *Setaria italica* (L.) P. Beauv. 31  
 Wang ZY → Stadelmann FJ  
 Ward RW, Yang ZL, Kim HS, Yen C: Comparative analyses of RFLP diversity in landraces of *Triticum aestivum* and collections of *T. tauschii* from China and Southwest Asia 312  
 Watanabe KN → Hämäläinen JH  
 Watanabe KN → Tommiska TJ  
 Watanabe M → Iwano M  
 Webb DM → Ashfield T  
 Weber DF → Schneerman MC  
 Weber WE → Korzun V  
 Weber WE → Peil A  
 Weeden NF → Conner PJ  
 Wells R → Mian MAR  
 Werner R → Hartung F  
 Westermann T → Korzun V
- Westman AL, Kresovich S: The potential for cross-taxa simple-sequence repeat (SSR) amplification between *Arabidopsis thaliana* L. and crop brassicas 272  
 Whetten R → Marques CM  
 Whitkus R, de la Cruz M, Mota-Bravo L, Gómez-Pompa A: Genetic diversity and relationships of cacao (*Theobroma cacao* L.) in southern Mexico 621  
 Wielgus SM → Helgeson JP  
 Williams WM, Mason KM, Williamson ML: Genetic analysis of shikimate dehydrogenase allozymes in *Trifolium repens* L. 859  
 Williamson ML → Williams WM  
 Wilmer JA → Grosselindemann E  
 Wilson JP → Morgan RN  
 Wing RA → Miller JT  
 Wingfield BD → Myburg AA  
 Wolff K, Morgan-Richards M: PCR markers distinguish *Plantago major* subspecies 282  
 Wolyn DJ → Bowes CE  
 Worland AJ → Korzun V  
 Worland AJ, Korzun V, Röder MS, Ganai MW, Law CN: Genetic analysis of the dwarfing gene *Rht8* in wheat. Part II. The distribution and adaptive significance of allelic variants at the *Rht8* locus of wheat as revealed by microsatellite screening 1110  
 Worland B → Vain P  
 Wright R, Penner D: Cell selection and inheritance of imidazolinone resistance in sugarbeet (*Beta vulgaris*) 612  
 Wu JG → Li Z  
 Wu RL: Genetic mapping of QTLs affecting tree growth and architecture in *Populus*: implication for ideotype breeding 447
- Wu RL, O'Malley DM: Nonlinear genotypic response to macro- and microenvironments 669
- Xu SY → Yan XF  
 Xu YH → Yan XF  
 Xue CG → Li RH
- Yamabe M → Fukui K  
 Yan XF, Xu SY, Xu YH, Zhu J: Genetic investigation of contributions of embryo and endosperm genes to malt Kolbach index, alpha-amylase activity and wort nitrogen content in barley 709  
 Yang ZL → Ward RW  
 Yano M → Lin SY  
 Yen C → Ward RW  
 Yoshiaki H → Fukui K  
 Young G → Toojinda T  
 Young ND → Danesh D  
 Young RA, Melotto M, Nodari RO, Kelly JD: Marker-assisted dissection of the oligogenic anthracnose resistance in the common bean cultivar, 'G 2333' 87  
 Yu SB → Li RH  
 Yuan LP → Li RH
- Zambolim L → Helgeson JP  
 Zeller FJ → Hsam SLK  
 Zethof J → Bentolila S  
 Zhang H, Jia J, Gale MD, Devos KM: Relationships between the chromosomes of *Aegilops umbellulata* and wheat 69  
 Zhu J, Gale MD, Quarrie S, Jackson MT, Bryan GJ: AFLP markers for the study of rice biodiversity 602  
 Zhu J → Yan XF



## Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

- |   |   |   |
|---|---|---|
| G. Backes (Freising-Weihenstephan, Germany) | W. Grüneberg (Göttingen, Germany)           | A. Paterson (College Station, USA)          |
| J. Bamberg (Sturgeon Bay, USA)              | J. Grunewaldt (Ahrensburg, Germany)         | N. Pogrebnyak (Princeton, USA)              |
| D. Bartels (Köln, Germany)                  | L. Hartl                                    | N. Pollans (DeKalb, USA)                    |
| N. Borysjuk (New Brunswick, USA)            | C. Hedgcoth (Manhattan, USA)                | L. Qi                                       |
| G. Brown (Montreal, Canada)                 | N. Huang (Davis, USA)                       | Schmidt (Ahrensburg, Germany)               |
| P. Carbonero (Madrid, Spain)                | M. Hühn (Kiel, Germany)                     | C. C. Schön (Stuttgart, Germany)            |
| W. Carlson (Iowa City, USA)                 | R. Innes (Bloomington, USA)                 | F. J. Seitzer (Einbeck, Germany)            |
| K. Chalmers (Adelaide, Australia)           | S. M. Kaeppler (Madison, USA)               | R. Shoemaker (Ames, USA)                    |
| A. M. Chèvre (Le Rheu, France)              | P. Keim (Flagstaff, USA)                    | S. Smith (Des Moines, USA)                  |
| P. B. Cregan (Beltsville, USA)              | R. Kesseli (Boston, USA)                    | H. V. Tang (Gainesville, USA)               |
| B. Cronn                                    | S. Kinian                                   | J. Tohme (Cali, Colombia)                   |
| S. K. Datta (Los Banos, Philippines)        | K. Lamkey (Ames, USA)                       | N. A. Tuleen (College Station, USA)         |
| T. Debener (Ahrensburg, Germany)            | B. Landry (Quebec, Canada)                  | F. Utz (Hohenheim, Germany)                 |
| K. Devos (Norwich, UK)                      | D. Laurie (Norfolk, UK)                     | J. Van Buijtenen (College Station, USA)     |
| B. Diers (East Lansing, USA)                | M. Lavin (Bozeman, USA)                     | R. Wang (St. Paul, USA)                     |
| J. J. Doyle (Ithaca, USA)                   | Z. Li (College Station, USA)                | D. Webb (Johnston, USA)                     |
| J. Dubcovsky (Davis, USA)                   | X. Lin (Hangzhou, China)                    | Weber (Halle/Saale, Germany)                |
| I. Dundas (Glen Osmond, Australia)          | W. Link (Göttingen, Germany)                | B. S. Weir (Raleigh, USA)                   |
| J. Dvorak (Davis, USA)                      | B. Lippok (Urbana, USA)                     | J. Wendel (Ames, USA)                       |
| M. Feldman (Rehovot, Israel)                | A. Liston (Corvallis, USA)                  | D. Werner (Raleigh, USA)                    |
| G. Forkmann (Freising-Weihenstephan)        | J. Manhart (College Station, USA)           | D. von Wettstein (Pullman, USA)             |
| B. Foroughi-Wehr (Grünbach, Germany)        | P. McClean (Fargo, USA)                     | M. C. Whalen (San Francisco, USA)           |
| B. Friebe (Manhattan, USA)                  | S. R. McCouch (Ithaca, USA)                 | M. D. H. M. William (Mexico, Mexico)        |
| P. Gepts (Davis, USA)                       | V. Mohler (Freising-Weihenstephan, Germany) | R. Wise (Ames, USA)                         |
| W. Gierl (Garching, Germany)                | G. F. Moran (Kingston, Australia)           | K. Wu (St. Louis, USA)                      |
| P. B. Goldsborough (West Lafayette, USA)    | A. Muthukrishnan (Manhattan, USA)           | Y. Yen (Brookings, USA)                     |
| K. F. Grafton (Fargo, USA)                  | T. Nagata (Tokio, Japan)                    | F. Zeller (Freising-Weihenstephan, Germany) |
| B. Graybosch (Lincoln, USA)                 | C. S. O'Donoghue (Quebec, Canada)           | H. B. Zhang                                 |
| H. R. Gregorius (Göttingen, Germany)        | R. Palmer (Ames, USA)                       |   |

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.